

KEL-DPZ multi-membrane cable entry plates, round

with metric threads M25 - M63 / IP66 / IP68 / UL Type 12/4X*




KEL-DPZ round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ round with unterminated cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ round provides strain relief and protection IP66 / IP68 / UL Type 4X*.

The round versions of the KEL-DPZ series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

*4X for indoor use only



Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer Base frame: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Fasten with locknut

Advantages & benefits

- Fast mounting
- High cable density
- Certified protection IP66/IP68 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Hygienic design - free of dirt-collecting recesses


Product types & sizes

KEL-DPZ 25|3 gy



Part No. **43736**
EAN **4251269320439**
Package quantity **10**
For max. no. of cables **3**
Max. cable diameter **6,5 mm**
Colour **grey (similar RAL 7035)**
Height **22 mm**


Mounting height **8 mm**
External diameter **39 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 x 1,5**
Thread length **14 mm**
Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm



Part No. **50736**
 EAN **4251269320453**
 Package quantity **10**
 For max. no. of cables **3**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm


KEL-DPZ 25|4 gy



Part No. **43737**
 EAN **4251269320446**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 5.2 mm**


KEL-DPZ 25|4 bk



Part No. **50737**
 EAN **4251269320460**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **39 mm**
 Cut-out size, round **25,3 mm**
 Cut-out size, metric **M25**
 Thread **M25 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 5.2 mm**


KEL-DPZ 32|4 gy



Part No. **43732**
 EAN **4251269310539**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **12,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm


KEL-DPZ 32|4 bk



Part No. **50732**
 EAN **4251269315152**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **12,5 mm**
 Colour **black**
 Height **22 mm**


Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **3 x 3.2 - 6.5 mm**
1 x 7.2 - 12.5 mm

KEL-DPZ 32|4-2 gy



Part No. **43733**
 EAN **4251269310546**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **9,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **44 mm**
 Cut-out size, round **32,3 mm**
 Cut-out size, metric **M32**
 Thread **M32 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 5 - 9.5 mm**


KEL-DPZ 32|4-2 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50733
4251269315169
10
4
9,5 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
4 x 5 - 9.5 mm


KEL-DPZ 32|7 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43734
4251269310553
10
7
6,5 mm
grey (similar RAL 7035)
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
7 x 3.2 - 6.5 mm


KEL-DPZ 32|7 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50734
4251269315176
10
7
6,5 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
44 mm
32,3 mm
M32
M32 × 1,5
14 mm
7 x 3.2 - 6.5 mm

KEL-DPZ 40|8 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43741
4251269310577
10
8
10,2 mm
grey (similar RAL 7035)
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
52 mm
40,4 mm
M40
M40 × 1,5
14 mm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm


KEL-DPZ 40|8 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

50741
4251269315190
10
8
10,2 mm
black
22 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
52 mm
40,4 mm
M40
M40 × 1,5
14 mm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm


KEL-DPZ 50|8 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Height

43750
4251269310584
10
8
12,5 mm
grey (similar RAL 7035)
22 mm


Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
Thread
Thread length
Clamping range

8 mm
62 mm
50,4 mm
M50
M50 × 1,5
14 mm
5 x 5 - 10.2 mm
3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 bk


Part No. **50750**
 EAN **4251269315206**
 Package quantity **10**
 For max. no. of cables **8**
 Max. cable diameter **12,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|10 gy


Part No. **43751**
 EAN **4251269310591**
 Package quantity **10**
 For max. no. of cables **10**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 50|10 bk


Part No. **50751**
 EAN **4251269315213**
 Package quantity **10**
 For max. no. of cables **10**
 Max. cable diameter **22,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 50|12 gy


Part No. **43752**
 EAN **4251269310607**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **10,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
8 x 5 - 10.2 mm

KEL-DPZ 50|12 bk


Part No. **50752**
 EAN **4251269315220**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **10,2 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **4 x 3.2 - 6.5 mm**
8 x 5 - 10.2 mm

KEL-DPZ 50|19 gy


Part No. **43758**
 EAN **4251269310621**
 Package quantity **10**
 For max. no. of cables **19**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|19 bk


Part No. **50758**
 EAN **4251269315244**
 Package quantity **10**
 For max. no. of cables **19**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|78 gy


Part No. **43756**
 EAN **4251269310614**
 Package quantity **10**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 50|78 bk


Part No. **50756**
 EAN **4251269315237**
 Package quantity **10**
 For max. no. of cables **78**
 Max. cable diameter **5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **62 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 x 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm


KEL-DPZ 63|9 gy

Part No. **43760**
 EAN **4251269310638**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **22,2 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**


Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 x 1,5**
 Thread length **14 mm**
 Clamping range **1 x 3.2 - 6.5 mm**
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm

KEL-DPZ 63|9 bk


Part No.	50760	Mounting height	8 mm
EAN	4251269315251	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	9	Cut-out size, metric	M63
Max. cable diameter	22,2 mm	Thread	M63 × 1,5
Colour	black	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm 3 x 5 - 10.2 mm 4 x 9 - 16.2 mm 1 x 16 - 22.2 mm

KEL-DPZ 63|13 gy


Part No.	43761	Mounting height	8 mm
EAN	4251269310645	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	13	Cut-out size, metric	M63
Max. cable diameter	16,2 mm	Thread	M63 × 1,5
Colour	grey (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 5 x 9 - 16.2 mm

KEL-DPZ 63|13 bk


Part No.	50761	Mounting height	8 mm
EAN	4251269315268	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	13	Cut-out size, metric	M63
Max. cable diameter	16,2 mm	Thread	M63 × 1,5
Colour	black	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 5 x 9 - 16.2 mm

KEL-DPZ 63|14 gy

Part No.	43762	Mounting height	8 mm
EAN	4251269310652	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	14	Cut-out size, metric	M63
Max. cable diameter	10,2 mm	Thread	M63 × 1,5
Colour	grey (similar RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm


KEL-DPZ 63|14 bk

Part No.	50762	Mounting height	8 mm
EAN	4251269315275	External diameter	75 mm
Package quantity	10	Cut-out size, round	63,4 mm
For max. no. of cables	14	Cut-out size, metric	M63
Max. cable diameter	10,2 mm	Thread	M63 × 1,5
Colour	black	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm

KEL-DPZ 63|35 gy

Part No. **43763**
 EAN **4251269310669**
 Package quantity **10**
 For max. no. of cables **35**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **35 x 3.2 - 6.5 mm**

KEL-DPZ 63|35 bk

Part No. **50763**
 EAN **4251269315282**
 Package quantity **10**
 For max. no. of cables **35**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Height **22 mm**

Mounting height **8 mm**
 External diameter **75 mm**
 Cut-out size, round **63,4 mm**
 Cut-out size, metric **M63**
 Thread **M63 × 1,5**
 Thread length **14 mm**
 Clamping range **35 x 3.2 - 6.5 mm**