

KT | Cable grommets, black

for cable diameters 1 - 35 mm / IP66 / IP68



IP54

IP55

IP64

IP65

IP66

IP67

IP68



RINA



ECOLAB certified



RoHS compliant



Made in Germany

Cable grommets KT small are used with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

Black KT grommets have an increased chemical resistance, e.g. against aggressive oils, coolants etc.

In combination with [KEL-ER cable entry frames](#) and [KVT-ER cable glands](#) the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 13 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
Material	Elastomer
Flame class	UL94-HB
Operating temperature	-30 C° to 90 C°
Properties	higher chemical resistance

Advantages & benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- High strain relief in accordance with EN 62444 when a suitable cable entry is selected
- Available for a large range of cable diameters
- Greatly increased cable density when using [double or quadruple grommets](#)

Product types & sizes


BTK bk



Part No.	41351
EAN	4251269307072
Package quantity	10
Colour	black
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Blank grommet	1

KT 1 bk




Part No.	39943
EAN	4251269318160
Package quantity	10
For max. no. of cables	1
Colour	black
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 1 - 2 mm

KT 2 bk


Part No. **41302**
 EAN **4251269306761**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 2 - 3 mm**

KT 3 bk


Part No. **41303**
 EAN **4251269306778**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 3 - 4 mm**

KT 4 bk


Part No. **41304**
 EAN **4251269306785**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 4 - 5 mm**

KT 5 bk


Part No. **41305**
 EAN **4251269306792**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 5 - 6 mm**

KT 6 bk


Part No. **41306**
 EAN **4251269306808**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 6 - 7 mm**

KT 7 bk

Part No. **41307**
 EAN **4251269306815**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 7 - 8 mm**


KT 8 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41308
4251269306822
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 8 - 9 mm


KT 9 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41309
4251269306839
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 9 - 10 mm


KT 10 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41310
4251269306846
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 10 - 11 mm


KT 11 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41311
4251269306853
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 11 - 12 mm


KT 12 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41312
4251269306860
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 12 - 13 mm


KT 13 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41313
4251269306877
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 13 - 14 mm


KT 14 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41314
4251269306884
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 14 - 15 mm


KT 15 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41315
4251269306891
10
1
black
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 15 - 16 mm


BTG bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41352
4251269307089
10
1
black
41,5 mm
42 mm

Height
Mounting height
For cable type
Blank grommet

19 mm
2 mm
Round cable
1


KTG 13 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41363
4251269331978
10
1
black
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 13 - 14 mm


KTG 14 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41364
4251269331985
10
1
black
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 14 - 15 mm


KTG 15 bk

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41365
4251269331992
10
1
black
41,5 mm
42 mm


Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 15 - 16 mm

KT 16 bk


Part No. **41316**
 EAN **4251269306907**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 17 mm**

KT 17 bk


Part No. **41317**
 EAN **4251269306914**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 17 - 18 mm**

KT 18 bk


Part No. **41318**
 EAN **4251269306921**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 18 - 19 mm**

KT 19 bk


Part No. **41319**
 EAN **4251269306938**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 19 - 20 mm**

KT 20 bk


Part No. **41320**
 EAN **4251269306945**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 20 - 21 mm**

KT 21 bk


Part No. **41321**
 EAN **4251269306952**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 21 - 22 mm**

KT 22 bk


Part No. **41322**
 EAN **4251269306969**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 22 - 23 mm**

KT 23 bk


Part No. **41323**
 EAN **4251269306976**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 23 - 24 mm**

KT 24 bk


Part No. **41324**
 EAN **4251269306983**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 24 - 25 mm**

KT 25 bk


Part No. **41325**
 EAN **4251269306990**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 25 - 26 mm**

KT 26 bk


Part No. **41326**
 EAN **4251269307003**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 26 - 27 mm**

KT 27 bk


Part No. **41327**
 EAN **4251269307010**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 27 - 28 mm**

KT 28 bk


Part No. **41328**
 EAN **4251269307027**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 28 - 29 mm**

KT 29 bk


Part No. **41329**
 EAN **4251269307034**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 29 - 30 mm**

KT 30 bk


Part No. **41330**
 EAN **4251269307041**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 30 - 31 mm**

KT 31 bk


Part No. **41331**
 EAN **4251269316807**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 31 - 32 mm**

KT 32 bk


Part No. **41332**
 EAN **4251269307058**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 32 - 33 mm**

KT 33 bk

Part No. **41333**
 EAN **4251269316814**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **black**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 33 - 34 mm**



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41334
4251269307065
10
1
black
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 34 - 35 mm

icotek[®]
smart cable management