

CONFIX™ SH □□□□ □□

CONFIX™ WST □□□ □□□ □□ □□□□



CONFIX SH □□□ □□□ □□□□ □□□□□ □□□□□.
□□□ □□□ □□ □□□ □□□□□.

RoHS
compliant

REACH
COMPLIANCE

□□ □ □□

□□□□□

UL94-V2

-40 C° to 140 C°

□□□ □□, □□□□□

□□ □□

□□ □□□

□□ □□ □ □□

CONFIX™ SH 10

EAN

31300

□□ □□

1

4251269300

□□□ □□

4,5 mm

134


10

20 mm

18 mm

21 mm

NW 10




CONFIX™ SH 14

EAN

31310 □□ □□
4251269300 □□□ □□
141
10
20 mm
24 mm
26 mm
NW 14

1
4,5 mm




| |

CONFIX™ SH 16

EAN

31315 □□ □□
4251269322 □□□ □□
464
10
20 mm
30 mm
35 mm
NW 16

1
6,5 mm




| |

CONFIX™ SH 20

EAN

31320 □□ □□
4251269300 □□□ □□
158
10
20 mm
35 mm
35 mm
NW 20

1
5,5 mm




| |

CONFIX™ SH 23

EAN

31330 □□ □□
4251269300 □□□ □□
165
10
20 mm
42 mm
44 mm
NW 23

1
5,5 mm




CONFIX™ SH 29

EAN

31335 □□ □□
4251269319 □□□ □□
068
10
20 mm
48 mm
48,5 mm
NW 29

1
5,5 mm




CONFIX™ SH 37

EAN

31340 □□ □□
4251269300 □□□ □□
172
10
20 mm
55 mm
56,5 mm
NW 37

1
7,1 mm



CONFIX™ SH 45

EAN

31350

□□ □□

1

4251269300

□□□ □□

7,1 mm

189


10

20 mm

67 mm

68 mm

NW 45



CONFIX™ SH 70

EAN

31360

□□ □□

1

4251269300

□□□ □□

7,1 mm

196


10

20 mm

100 mm

101 mm

NW 70



icotek[®]
smart cable management