




KEL-DPZ-HD 32|4-2 CR



EAN


□□□ □  
□□ □□□ □□

70352.601  
4251269328664  
5  
4  
9,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
44 mm  
32,3 mm  
M32  
M32 × 1,5  
14 mm  
Ra = 0,421 μm  
4 x 5 - 9.5 mm

KEL-DPZ-HD 32|4-2 CR (S)VOC



EAN


□□□ □  
□□ □□□ □□

70352.600  
4251269328541  
5  
4  
9,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
44 mm  
32,3 mm  
M32  
M32 × 1,5  
14 mm  
Ra = 0,421 μm  
4 x 5 - 9.5 mm

KEL-DPZ-HD 32|7 CR



EAN


□□□ □  
□□ □□□ □□

70353.601  
4251269328671  
5  
7  
6,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
44 mm  
32,3 mm  
M32  
M32 × 1,5  
14 mm  
Ra = 0,421 μm  
7 x 3.2 - 6.5 mm

KEL-DPZ-HD 32|7 CR (S)VOC



EAN


□□□ □  
□□ □□□ □□

70353.600  
4251269328558  
5  
7  
6,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
44 mm  
32,3 mm  
M32  
M32 × 1,5  
14 mm  
Ra = 0,421 μm  
7 x 3.2 - 6.5 mm

KEL-DPZ-HD 40|8 CR



EAN


□□□ □  
□□ □□□ □□

70354.601  
4251269328688  
5  
8  
10,2 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
52 mm  
40,4 mm  
M40  
M40 × 1,5  
14 mm  
Ra = 0,421 μm  
4 x 3.2 - 6.5 mm  
4 x 5 - 10.2 mm

KEL-DPZ-HD 40|8 CR (S)VOC



EAN


□□□ □  
□□ □□□ □□

70354.600  
4251269328565  
5  
8  
10,2 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
52 mm  
40,4 mm  
M40  
M40 × 1,5  
14 mm  
Ra = 0,421 μm  
4 x 3.2 - 6.5 mm  
4 x 5 - 10.2 mm

KEL-DPZ-HD 50|8 CR










EAN








□□□ □  
□□ □□□ □□

70355.601  
4251269328695  
5  
8  
12,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
62 mm  
50,4 mm  
M50  
M50 × 1,5  
14 mm  
Ra = 0,421 μm  
5 x 5 - 10.2 mm  
3 x 7.2 - 12.5 mm


**KEL-DPZ-HD 50|8 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70355.600**  
**4251269328572**  
**5**  
**8**  
**12,5 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**5 × 5 - 10.2 mm**  
**3 × 7.2 - 12.5 mm****KEL-DPZ-HD 50|10 CR**EAN  
□□□ □  
□□ □□□ □□**70356.601**  
**4251269328701**  
**5**  
**10**  
**22,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**7 × 3.2 - 6.5 mm**  
**2 × 5 - 10.2 mm**  
**1 × 16 - 22.2 mm****KEL-DPZ-HD 50|10 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70356.600**  
**4251269328589**  
**5**  
**10**  
**22,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**7 × 3.2 - 6.5 mm**  
**2 × 5 - 10.2 mm**  
**1 × 16 - 22.2 mm****KEL-DPZ-HD 50|12 CR**EAN  
□□□ □  
□□ □□□ □□**70357.601**  
**4251269328718**  
**5**  
**12**  
**10,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**4 × 3.2 - 6.5 mm**  
**8 × 5 - 10.2 mm****KEL-DPZ-HD 50|12 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70357.600**  
**4251269328596**  
**5**  
**12**  
**10,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**4 × 3.2 - 6.5 mm**  
**8 × 5 - 10.2 mm****KEL-DPZ-HD 50|19 CR**EAN  
□□□ □  
□□ □□□ □□**70358.601**  
**4251269328725**  
**5**  
**19**  
**6,5 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**19 × 3.2 - 6.5 mm****KEL-DPZ-HD 50|19 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70358.600**  
**4251269328602**  
**5**  
**19**  
**6,5 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**19 × 3.2 - 6.5 mm**

**KEL-DPZ-HD 63|9 CR**EAN  
□□□ □  
□□ □□□ □□**70359.601**  
**4251269328732**  
**5**  
**9**  
**22,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm****KEL-DPZ-HD 63|9 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70359.600**  
**4251269328619**  
**5**  
**9**  
**22,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm****KEL-DPZ-HD 63|13 CR**EAN  
□□□ □  
□□ □□□ □□**70360.601**  
**4251269328749**  
**5**  
**13**  
**16,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm****KEL-DPZ-HD 63|13 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70360.600**  
**4251269328626**  
**5**  
**13**  
**16,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm****KEL-DPZ-HD 63|14 CR**EAN  
□□□ □  
□□ □□□ □□**70361.601**  
**4251269328756**  
**5**  
**14**  
**10,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**14 x 5 - 10.2 mm****KEL-DPZ-HD 63|14 CR (S)VOC**EAN  
□□□ □  
□□ □□□ □□**70361.600**  
**4251269328633**  
**5**  
**14**  
**10,2 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**14 x 5 - 10.2 mm****KEL-DPZ-HD 63|35 CR**EAN  
□□□ □  
□□ □□□ □□**70362.601**  
**4251269328763**  
**5**  
**35**  
**6,5 mm**  
□□(RAL 5005□ □□)  
**22 mm**□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □**8 mm**  
**75 mm**  
**63,4 mm**  
**M63**  
**M63 × 1,5**  
**14 mm**  
**Ra = 0,421 μm**  
**35 x 3.2 - 6.5 mm**

KEL-DPZ-HD 63|35 CR  
(S)VOC

EAN

□□□ □  
□□ □□□ □□



70362.600  
4251269328640  
5  
35  
6,5 mm  
□□(RAL 5005□ □□)  
22 mm

□□ □□  
□□ □□□  
□□ □□ □□□  
□□□□ □□ □□□  
  
□□□ □□  
□□ □□□ (ISO 4287)  
□□□ □□ □

8 mm  
75 mm  
63,4 mm  
M63  
M63 × 1,5  
14 mm  
Ra = 0,421 μm  
35 x 3.2 - 6.5 mm

**icotek**<sup>®</sup>  
smart cable management