

# KEL-SNAP | □□□ □□□

□□□ □□□ □□□□ □□ □□ □□-□ □□□□ □□ / IP54 / UL Type 12



KEL-SNAP □□□□ □□□□ KEL □□□□ □□□ □□□ □□□□□□.

□□□□ □□ □□ □ KEL-SNAP□ □□□ □□□□, □□□□□□ □□□□ □□□ KEL□□□□□ SNAP □□□□ □□ □□ □□□□□□

□□(Cut-out) □□□□ 36mm□ 46mm □□ □□ □□□□□□.

<b>IP54</b>	<b>UL TYPE 12</b>	<b>CULUS</b>	<b>HL3</b> EN 45545-2	<b>EN 61373</b>	<b>ECOLAB</b> certified
<b>RoHS</b> compliant	<b>REACH</b> COMPLIANCE	Made in Germany			


<b>IP □□□□ (EN 60529)</b>	IP54
<b>UL Type (UL 50E)</b>	UL Type 12
	□□□□□□
	UL94-V0, □□□□□□
	-40 C° to 140 C°
	□□□□ □□, □□□□□□
□□ □□	□□ □□□
□□ □□	38 mm

## □□ □ □□

- KEL □□□□ □□□□ □□ □□ □□ □ □□ □□□
- KEL □□□□ □□□ □□□ □□□(KEL-SNAP-B □□)
- □□□□ □□
- □□ □□□ KEL□□□□□ □□ □□□ □□


## □□ □□ □ □□

### KEL-SNAP 24




EAN	<b>42042</b>	□□ □□	<b>4</b>
	<b>4251269307</b>	□□□ □□	
	<b>652</b>	□□ :	<b>5,5 mm</b>
	<b>10</b>		<b>KEL 24, KEL-</b>
	<b>155 mm</b>		<b>U 24, KEL-</b>
	<b>64 mm</b>		<b>QUICK 24,</b>
	<b>38 mm</b>		<b>KEL-FA 24,</b>
□□ □□	<b>38 mm</b>		<b>KEL-FG-A</b>

**KEL-SNAP 24-E**




	<b>42044</b>	□□ □□	<b>4</b>
EAN	<b>4251269307</b>	□□□ □□	<b>5,5 mm</b>
	<b>669</b>	□□ :	<b>KEL 24-E</b>
	<b>1</b>		
	<b>155 mm</b>		
	<b>89 mm</b>		
	<b>38 mm</b>		
□□ □□	<b>38 mm</b>		

**KEL-SNAP 24-MT**




	<b>42046</b>	□□ □□	<b>6</b>
EAN	<b>4251269307</b>	□□□ □□	<b>5,5 mm</b>
	<b>676</b>	□□ :	<b>KEL 24-MT</b>
	<b>1</b>		
	<b>155 mm</b>		
	<b>108 mm</b>		
	<b>38 mm</b>		
□□ □□	<b>38 mm</b>		

**KEL-SNAP 16**



	<b>42040</b>	□□ □□	<b>4</b>
EAN	<b>4251269307</b>	□□□ □□	<b>5,5 mm</b>
	<b>645</b>	□□ :	<b>KEL 16, KEL-</b>
	<b>10</b>		<b>U 16, KEL-FA</b>
	<b>128 mm</b>		<b>16, KEL-</b>
	<b>64 mm</b>		<b>QUICK 16</b>
	<b>38 mm</b>		
□□ □□	<b>38 mm</b>		


**KEL-SNAP 10**



EAN 42039 00 00  
4251269307 000 00  
638 00 :  
10  
108 mm  
64 mm  
38 mm  
38 mm

4  
5,5 mm  
KEL 10, KEL-  
U 10, KEL-FA  
10, KEL-  
QUICK 10


**KEL-SNAP-B**



EAN 42038 00 00  
4251269307 000 00  
621 00 :  
10  
81 mm  
64 mm  
38 mm  
38 mm

4  
5,5 mm  
KEL-B, KEL-  
U-B, KEL-  
QUICK-B


**KEL-SNAP-S 24**



EAN 42060 00 00  
4251269323 000 00  
720 00 :  
10  
155 mm  
64 mm  
38 mm  
38 mm

4  
5,5 mm  
KEL 24, KEL-  
U 24, KEL-  
QUICK 24,  
KEL-FA 24,  
KEL-FG-A


**KEL-SNAP-S 16**



EAN 42061 4251269323 737 10 128 mm 64 mm 38 mm 38 mm

4 5,5 mm KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16


**KEL-SNAP-S 10**



EAN 42062 4251269323 744 10 108 mm 64 mm 38 mm 38 mm

4 5,5 mm KEL 10, KEL-U 10, KEL-FA 10, KEL-QUICK 10

**KEL-SNAP-S-B**



EAN 42063 4251269323 751 10 81 mm 64 mm 38 mm 38 mm

4 5,5 mm KEL-B, KEL-U-B, KEL-QUICK-B

