


□□ □□□□
□□□□□ / IP54



IP54

RoHS
compliant

REACH
COMPLIANT

Made in
Germany

□□ (KEL 24, KEL-U 24, KEL-QUICK 24, KEL-JUMBO, KEL-DPF, KEL-JUMBO flex, KEL-ULTRA flex) □□
KEL □□ □□ □□□□ □□ □ □□ □□ □□ □□□□□. □□ □□□□ □□ □□ □□ □ □□□□.

□□ □□□

□□□ □□□□ □□ □ □□ (□ □□□ □□□)

□□ □□□□ □□

□□□□ □□ □□ □□□□ (□□□□ 43882 (blank plate)) □□ □□□□ □□ □□ □□ □□ □□□□□. □ □□ □□□□□ □□ □□□ □□□

□□ □ □□


IP □□□□ (EN 60529)

IP54

□□□□ □
□□□□

□□ □□ □ □□

MP 0



EAN

43882
4251269310898

1

338 mm


168 mm

2 mm

□□□□□ □□

Rittal VX25, Rittal
TS 8

MP 1



EAN

43891
4251269310966
1
338 mm
168 mm
2 mm
112 × 36 mm


□□ :

3 × KEL 24 / KEL-U
24 / KEL-FA 24 /
KEL-QUICK 24
Rittal VX25, Rittal
TS 8

□□□□□ □□

□□ □□□

MP 2



EAN

43890
4251269310959
1
338 mm
168 mm
2 mm
112 × 36 mm


□□ :

4 × KEL 24 / KEL-U
24 / KEL-FA 24 /
KEL-QUICK 24
Rittal VX25, Rittal
TS 8

□□□□□ □□

□□ □□□

MP 3



EAN


43886
4251269310911
1
338 mm
168 mm
2 mm
1 × KEL-JUMBO 1,
1 × KEL-JUMBO 2

□□□□□ □□

Rittal VX25, Rittal
TS 8

□□ :

MP 4



EAN


43888
 4251269310935
 1
 338 mm
 168 mm
 2 mm
 2 × KEL-JUMBO 1

□□□□ □□

Rittal VX25, Rittal TS 8

□□ :

MP 5



EAN

43887
 4251269310928
 1
 338 mm
 168 mm
 2 mm
 112 × 36 mm


□□ :

□□□□ □□

2 × KEL 24 / KEL-U
 24 / KEL-FA 24 /
 KEL-QUICK 24, 1 ×
 KEL-JUMBO 1
 Rittal VX25, Rittal
 TS 8

□□ □□

MP 6



EAN

43883
 4251269310904
 1
 338 mm
 168 mm
 2 mm
 50,4 mm


□□ :

□□□□ □□

5 × KEL-DPZ 50 /
 KEL-DPZ-HD 50 /
 KEL-DPZ-CLICK 50
 / KEL-SCDP-TR 50 /
 KEL-DPF 50
 Rittal VX25, Rittal
 TS 8

□□ □□ □□

MP 7



EAN


43889
 4251269310942
 1
 338 mm
 168 mm
 2 mm
 75,5 mm

□□ :
 □□□□ □□

3 × **KEL-JUMBO**
 flex
 Rittal VX25, Rittal
 TS 8

□□ □□ □□

MP 8



EAN


43894
 4251269310973
 1
 338 mm
 168 mm
 3 mm
 140 mm

□□ :
 □□□□ □□

2 × **KEL-ULTRA flex**
 Rittal VX25, Rittal
 TS 8

□□ □□ □□

MP 10




EAN

43896
 4251269320422
 1
 338 mm
 168 mm
 2 mm
 112 × 36 mm

□□ □□ □□
 □□ :
 □□□□ □□

63,4 mm
 2 × **KEL 24 / KEL-U**
24 / KEL-FA 24 /
KEL-QUICK 24, 1 ×
KEL-DPZ 63 / KEL-
DPZ-CLICK 63 /
KEL-DPF 63
 Rittal VX25, Rittal
 TS 8

□□ □□



EAN

□□ □□ □□□

43899
4251269319020
1
338 mm
168 mm
3 mm
63,4 mm

□□ :

□□□□□ □□

5 × KEL-DPZ 63 /
KEL-DPZ-HD 63 /
KEL-DPZ-CLICK 63
/ KEL-SCDP-TR 63 /
KEL-DPF 63
Rittal VX25, Rittal
TS 8