


# KDR-ESR

Rittal, nVent Hoffman & Häwa / IP54



KDR-ESR is a terminal block for connecting cables to the back of a rack. It is designed for use with KEL terminals.

KEL terminals are used for connecting cables to the back of a rack. They are designed for use with KDR-ESR terminal blocks. KDR-ESR terminal blocks are designed for use with KEL terminals. They are designed for use with the BK-SNAP terminal block.

KDRS is a terminal block for connecting cables to the back of a rack. It is designed for use with KEL terminals.

IP54

HL3  
EN 45545-2

RoHS  
compliant

REACH  
compliance

Made in  
Germany

IP (EN 60529)	IP54
	ESR
	UL94-V0, 0
	-40 C° to 90 C°
	0, 0
0, 0	0, 0

0, 0, 0

- 0, 0, 0
- 0, 0, 0, 0, 0, 0, 0, 0
- 0, 0, 0, 0, 0, 0, 0, 0
- 0, 0, 0, 0, 0, 0, 0, 0
- 0, 0, 0, 0, 0, 0, 0, 0

0, 0, 0, 0

KDR-ESR-VX25-600-44500

EAN


44500  
4251269319754  
1  
488 mm  
100 mm  
43 mm  
488 mm

0, 0, 0, 0  
0, 0, 0, 0  
0, 0, 0, 0  
0, 0, 0, 0

600 mm  
452 mm  
2 x KEL-U 24 / KEL-QUICK 24  
Rittal VX25



KDR-ESR-VX25-600-44501




EAN

44501  
4251269319761  
1  
488 mm  
120 mm  
57 mm  
488 mm

□□□□ □□  
□□ □□ □□  
□□ :  
  
□□□□ □□

600 mm  
452 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal VX25

KDR-ESR-VX25-600-44502




EAN

44502  
4251269319778  
1  
488 mm  
120 mm  
57 mm  
488 mm

□□□□ □□  
□□ □□ □□  
□□ :  
  
□□□□ □□

600 mm  
452 mm  
2 × KEL-U 16 / KEL-  
QUICK 16, 1 × KEL-  
JUMBO 1  
Rittal VX25

KDRS-ESR-VX25-600-44512



EAN

44512  
4251269321108  
1  
488 mm  
75 mm  
44 mm  
488 mm

□□□□ □□  
□□ □□ □□  
□□ :  
  
□□□□ □□

600 mm  
452 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Rittal VX25

KDR-ESR-VX25-800-44503




EAN

44503  
4251269319785  
1  
688 mm  
100 mm  
43 mm  
688 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
652 mm  
3 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
U 16 / KEL-QUICK  
16  
Rittal VX25

KDR-ESR-VX25-800-44504




EAN

44504  
4251269319792  
1  
688 mm  
120 mm  
57 mm  
688 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
652 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
U 16 / KEL-QUICK  
16, 1 × KEL-JUMBO  
1  
Rittal VX25

KDR-ESR-VX25-800-44505




EAN

44505  
4251269319808  
1  
688 mm  
120 mm  
57 mm  
688 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
652 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal VX25

KDRS-ESR-VX25-800-44513



EAN

44513  
4251269321115  
1  
688 mm  
75 mm  
43 mm  
688 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

800 mm  
652 mm  
3 × KEL-U 24 / KEL-  
QUICK 24  
Rittal VX25

KDR-ESR-VX25-1000-44506




EAN

44506  
4251269319815  
1  
438 mm  
100 mm  
43 mm  
438 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
402 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Rittal VX25

KDR-ESR-VX25-1000-44507



EAN

44507  
4251269319822  
1  
438 mm  
120 mm  
57 mm  
438 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
402 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Rittal VX25


KDR-ESR-VX25-1000-44508

EAN

44508  
4251269319839  
1  
438 mm  
120 mm  
57 mm  
438 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
402 mm  
1 × KEL-U 16 / KEL-  
QUICK 16, 1 × KEL-  
JUMBO 2  
Rittal VX25




KDRS-ESR-VX25-1000-44514

EAN

44514  
4251269321122  
1  
438 mm  
75 mm  
44 mm  
438 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
402 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Rittal VX25



KDR-ESR-VX25-1200-44509


EAN

44509  
4251269319846  
1  
538 mm  
100 mm  
43 mm  
538 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.200 mm  
502 mm  
3 × KEL-U 24 / KEL-  
QUICK 24  
Rittal VX25






EAN

**44510**  
**4251269319853**  
**1**  
**538 mm**  
**120 mm**  
**57 mm**  
**538 mm**

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

**1.200 mm**  
**502 mm**  
**1 × KEL-U 24 / KEL-QUICK 24, 1 × KEL-U 16 / KEL-QUICK 16, 1 × KEL-JUMBO 1**  
**Rittal VX25**

**KDR-ESR-VX25-1200-44511**



EAN

**44511**  
**4251269319860**  
**1**  
**538 mm**  
**120 mm**  
**57 mm**  
**538 mm**

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

**1.200 mm**  
**502 mm**  
**1 × KEL-U 24 / KEL-QUICK 24, 1 × KEL-JUMBO 2**  
**Rittal VX25**

**KDR5-ESR-VX25-1200-44515**



EAN

**44515**  
**4251269321139**  
**1**  
**538 mm**  
**75 mm**  
**44 mm**  
**538 mm**

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

**1.200 mm**  
**502 mm**  
**3 × KEL-U 24 / KEL-QUICK 24**  
**Rittal VX25**


KDR-ESR-TS8-600-43070

EAN

43070  
4251269309519  
1  
458 mm  
150 mm  
57 mm  
458 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

600 mm  
435 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal TS 8




KDR-ESR-TS8-600-43071

EAN

43071  
4251269309526  
1  
458 mm  
150 mm  
57 mm  
458 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

600 mm  
435 mm  
2 × KEL-U 16 / KEL-  
QUICK 16, 1 × KEL-  
JUMBO 1  
Rittal TS 8




KDR-ESR-TS8-600-43079

EAN

43079  
4251269309601  
1  
458 mm  
100 mm  
44 mm  
458 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

600 mm  
435 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Rittal TS 8




KDR-ESR-TS8-800-43072

EAN

43072  
4251269309533  
1  
658 mm  
150 mm  
57 mm  
658 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
635 mm  
3 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Rittal TS 8




KDR-ESR-TS8-800-43073

EAN

43073  
4251269309540  
1  
658 mm  
150 mm  
57 mm  
658 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
635 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal TS 8




KDR-ESR-TS8-800-43080

EAN

43080  
4251269309618  
1  
658 mm  
100 mm  
44 mm  
658 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
  
□□□□□ □□

800 mm  
635 mm  
3 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
U 16 / KEL-QUICK  
16  
Rittal TS 8






KDR-ESR-TS8-1000-43074

EAN

43074  
4251269309557  
1  
858 mm  
150 mm  
57 mm  
858 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.000 mm  
835 mm  
4 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Rittal TS 8




KDR-ESR-TS8-1000-43075

EAN

43075  
4251269309564  
1  
858 mm  
150 mm  
57 mm  
858 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.000 mm  
835 mm  
3 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal TS 8




KDR-ESR-TS8-1000-43076

EAN

43076  
4251269309571  
1  
420 mm  
150 mm  
57 mm  
420 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.000 mm  
398 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Rittal TS 8




KDR-ESR-TS8-1000-43077

EAN

43077  
4251269309588  
1  
420 mm  
150 mm  
57 mm  
420 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
398 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal TS 8




KDR-ESR-TS8-1000-43081

EAN

43081  
4251269309625  
1  
858 mm  
100 mm  
44 mm  
858 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
835 mm  
5 × KEL-U 24 / KEL-  
QUICK 24  
Rittal TS 8




KDR-ESR-TS8-1000-43082

EAN

43082  
4251269309632  
1  
420 mm  
100 mm  
44 mm  
420 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
398 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Rittal TS 8




KDR-ESR-TS8-1200-43078

EAN

43078  
4251269309595  
1  
518 mm  
150 mm  
57 mm  
518 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.200 mm  
495 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Rittal TS 8




KDR-ESR-TS8-1200-43083

EAN

43083  
4251269309649  
1  
518 mm  
100 mm  
44 mm  
518 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.200 mm  
495 mm  
3 × KEL-U 24 / KEL-  
QUICK 24  
Rittal TS 8




KDR-ESR-TS8-1200-43084

EAN


43084  
4251269309656  
1  
518 mm  
150 mm  
57 mm  
518 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.200 mm  
495 mm  
1 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Rittal TS 8



KDR-ESR-HW-600 + □□□ □□□□




EAN

44520  
4251269324543  
1  
427 mm  
136 mm  
56 mm  
427 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

600 mm  
392 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
Häwa H390 / H395

KDR-ESR-HW-800 + □□□ □□□□




EAN

44521  
4251269324550  
1  
627 mm  
136 mm  
59 mm  
627 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

800 mm  
592 mm  
3 × KEL-U 24 / KEL-  
QUICK 24  
Häwa H390 / H395

KDR-ESR-HW-800




EAN

44522  
4251269324567  
1  
627 mm  
133 mm  
70 mm  
627 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

800 mm  
592 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Häwa H390 / H395

KDR-ESR-HW-1000 + □□□ □□□□




EAN

44523  
4251269324574  
1  
827 mm  
136 mm  
56 mm  
827 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.000 mm  
792 mm  
4 × KEL-U 24 / KEL-  
QUICK 24  
Häwa H390 / H395

KDR-ESR-HW-1200 + □□□ □□□□




EAN

44524  
4251269324581  
1  
1.027 mm  
136 mm  
56 mm  
1.027 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.200 mm  
992 mm  
5 × KEL-U 24 / KEL-  
QUICK 24  
Häwa H390 / H395

KDR-ESR-HW-1200-1




EAN

44526  
4251269324604  
1  
1.027 mm  
133 mm  
70 mm  
1.027 mm

□□□□ □□  
□□ □□□ □□  
□□ :  
□□□□□ □□

1.200 mm  
992 mm  
4 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 1  
Häwa H390 / H395

KDR-ESR-HW-1200-1




EAN

44525  
4251269324598  
1  
1.027 mm  
133 mm  
70 mm  
1.027 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.200 mm  
992 mm  
4 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
Häwa H390 / H395

KDR-ESR-HG2-600-43250



EAN

43250  
4251269317033  
1  
432 mm  
131,5 mm  
62,3 mm  
432 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

600 mm  
368 mm  
1 × KEL-U 16 / KEL-  
QUICK 16, 1 × KEL-  
JUMBO 2  
nVent Hoffman  
PROLINE G2

KDR-ESR-HG2-600-43251




EAN

43251  
4251269317040  
1  
432 mm  
81 mm  
52,8 mm  
432 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

600 mm  
368 mm  
2 × KEL-U 24 / KEL-  
QUICK 24  
nVent Hoffman  
PROLINE G2

KDR-ESR-HG2-800-43252



EAN

43252  
4251269317057  
1  
632 mm  
131,5 mm  
45 mm  
632 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

800 mm  
568 mm  
2 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
nVent Hoffman  
PROLINE G2

KDR-ESR-HG2-800-43253




EAN

43253  
4251269317064  
1  
632 mm  
81 mm  
52,8 mm  
632 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

800 mm  
568 mm  
3 × KEL-U 24 / KEL-  
QUICK 24  
nVent Hoffman  
PROLINE G2

KDR-ESR-HG2-1000-43254



EAN

43254  
4251269317071  
1  
832 mm  
131,5 mm  
41,3 mm  
832 mm

□□□□ □□  
□□ □□ □□  
□□ :  
□□□□ □□

1.000 mm  
768 mm  
3 × KEL-U 24 / KEL-  
QUICK 24, 1 × KEL-  
JUMBO 2  
nVent Hoffman  
PROLINE G2

KDR-ESR-HG2-1000-43255

EAN

43255

4251269317088

1

832 mm

81 mm

52,8 mm

832 mm

□□□□ □□

□□ □□ □□

□□ :

□□□□ □□

1.000 mm

768 mm

4 × KEL-U 24 / KEL-

QUICK 24

nVent Hoffman

PROLINE G2



---

**icotek**<sup>®</sup>  
smart cable management